





**TIRE & WHEEL**  
**ASSEMBLIES**  
**CATALOG**

OUR MODELS


Modular



Spoke



Aluminum SA001




Conventional / Solid



Dual



UTG / Mobile Home



- » Thick construction provides for reliable towing and braking.
- » Double steel belt construction to counteract heat cycle damage, expanding and contracting, and provide towing stability under load.
- » Puncture resistant with full nylon cap construction.
- » Heatless compound technology to slow down the aging of the tire and extend life.
- » Tread depth provides low rolling resistance reducing tread wear and improving fuel economy.

GOODRIDE TIRES

| Size        | Load Range | Ply Rating | Load Capacity    |                  |
|-------------|------------|------------|------------------|------------------|
|             |            |            | Single           | Dual             |
| ST145R12    | E          | 10         | 1520 LBS/80 PSI  | N/A              |
| ST175/80R13 | C          | 6          | 1360 LBS/50 PSI  | N/A              |
| ST175/80R13 | D          | 8          | 1615 LBS/65 PSI  | N/A              |
| ST185/80R13 | D          | 8          | 1760 LBS/65 PSI  | N/A              |
| ST205/75R14 | C          | 6          | 1760 LBS/50 PSI  | N/A              |
| ST205/75R14 | D          | 8          | 2040 LBS/65 PSI  | N/A              |
| ST205/75R15 | C          | 6          | 1820 LBS/50 PSI  | N/A              |
| ST205/75R15 | D          | 8          | 2150 LBS/65 PSI  | N/A              |
| ST225/75R15 | D          | 8          | 2540 LBS/65 PSI  | N/A              |
| ST225/75R15 | E          | 10         | 2830 LBS/80 PSI  | N/A              |
| ST235/80R16 | E          | 10         | 3520 LBS/80 PSI  | 3080 LBS/80 PSI  |
| ST235/85R16 | F          | 12         | 3960 LBS/95 PSI  | 3520 LBS/95 PSI  |
| ST235/80R16 | G          | 14         | 4080 LBS/110 PSI | 3640 LBS/110 PSI |
| ST235/85R16 | G          | 14         | 4400 LBS/110 PSI | 3860 LBS/110 PSI |
| 215/75R17.5 | H          | 16         | 4850 LBS/123 PSI | 4540 LBS/123 PSI |
| 235/75R17.5 | J          | 18         | 6005 LBS/128 PSI | 5675 LBS/128 PSI |

\*Disclaimer: Images and colours used might not appear the same as the real product.

White White with red & blue pinstripes Black Grey Galvanized



8"

| Part#       | Legacy# | Description                                     | Colour     |
|-------------|---------|-------------------------------------------------|------------|
| 808-545-602 | 9405784 | 215/60-8, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SOLID | GALVANIZED |
| 808-545-606 | 9401023 | 215/60-8, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SOLID | WHITE      |
| 808-545-601 | 9405783 | 215/60-8, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SOLID | WHITE      |
| 808-440-600 | 9400015 | 4.80-8, BIAS 6 PLY, LRC, 4 ON 4 STEEL SOLID     | GALVANIZED |
| 808-440-603 | 9400013 | 4.80-8, BIAS 6 PLY, LRC, 4 ON 4 STEEL SOLID     | WHITE      |
| 808-545-600 | 9400014 | 4.80-8, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SOLID   | GALVANIZED |
| 808-545-603 | 9400012 | 4.80-8, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SOLID   | WHITE      |
| 808-440-601 | 9405782 | 5.70-8, BIAS 6 PLY, LRC, 4 ON 4 STEEL SOLID     | GALVANIZED |
| 808-440-602 | 9405781 | 5.70-8, BIAS 6 PLY, LRC, 4 ON 4 STEEL SOLID     | WHITE      |

| 10"         |         |                                                  |            |
|-------------|---------|--------------------------------------------------|------------|
| 810-440-601 | 9401063 | 215/60-8, BIAS 6 PLY, LRC, 4 ON 4 STEEL SOLID    | GALVANIZED |
| 810-440-600 | 9401062 | 215/60-8, BIAS 6 PLY, LRC, 4 ON 4 STEEL SOLID    | WHITE      |
| 810-440-605 | 9401013 | 215/60-8, BIAS 10 PLY, LRE, 4 ON 4 STEEL SOLID   | GALVANIZED |
| 810-440-604 | 9401012 | 215/60-8, BIAS 10 PLY, LRE, 4 ON 4 STEEL SOLID   | WHITE      |
| 810-545-602 | 9401061 | 215/60-8, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SOLID  | GALVANIZED |
| 810-545-601 | 9401060 | 215/60-8, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SOLID  | WHITE      |
| 808-545-605 | 9401011 | 215/60-8, BIAS 10 PLY, LRE, 5 ON 4.5 STEEL SOLID | GALVANIZED |
| 810-545-600 | 9401010 | 215/60-8, BIAS 10 PLY, LRE, 5 ON 4.5 STEEL SOLID | WHITE      |

12"

| Part#       | Legacy#    | Description                                                  | Colour     |
|-------------|------------|--------------------------------------------------------------|------------|
| 912-545-602 | 9401375    | 145-12, GOODRIDE RADIAL 10 PLY, LRE, 5 ON 4.5 ALUMINUM SA001 | BLACK      |
| 912-545-600 | 9400248-TT | 145-12, GOODRIDE RADIAL 10 PLY, LRE, 5 ON 4.5 STEEL SPOKE    | GALVANIZED |
| 912-545-601 | 9400249-TT | 145-12, GOODRIDE RADIAL 10 PLY, LRE, 5 ON 4.5 STEEL SPOKE    | WHITE      |
| 812-545-604 | 9400074    | 4.80-12, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE               | GALVANIZED |
| 812-545-600 | 9400547    | 4.80-12, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE               | WHITE      |
| 812-545-605 | 9400318    | 5.30-12, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE               | GALVANIZED |
| 812-545-601 | 9400541    | 5.30-12, BIAS 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE               | WHITE      |

| 13"         |            |                                                             |            |
|-------------|------------|-------------------------------------------------------------|------------|
| 913-545-606 | 9400316    | 175/80, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL MOD      | WHITE      |
| 913-545-615 | 9400513-KW | 175/80, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 ALUMINUM SA001 | BLACK      |
| 913-545-614 | 9400315-TT | 175/80, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE    | GALVANIZED |
| 913-545-613 | 9400314-TT | 175/80, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE    | WHITE      |
| 913-545-602 | -          | 175/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL MOD      | BLACK      |
| 913-545-600 | 9401303    | 175/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL MOD      | WHITE      |
| 913-545-605 | 9401302    | 175/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 ALUMINUM SA001 | BLACK      |
| 913-545-603 | 9401301    | 175/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL SPOKE    | GALVANIZED |
| 913-545-601 | -          | 175/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL SPOKE    | WHITE      |
| 913-545-610 | 9401383    | 185/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL MOD      | WHITE      |
| 913-545-609 | 9401382    | 185/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 ALUMINUM SA001 | BLACK      |
| 913-545-608 | 9401381    | 185/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL SPOKE    | GALVANIZED |
| 913-545-611 | 9401384    | 185/80, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL SPOKE    | WHITE      |



14"

| Part#       | Legacy#       | Description                                                      | Colour               |
|-------------|---------------|------------------------------------------------------------------|----------------------|
| 914-545-603 | 9401466       | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL MOD           | BLACK                |
| 914-545-600 | 9401463       | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL MOD           | WHITE                |
| 914-545-604 | 9400512-TT-KW | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 ALUMINUM SA001      | BLACK                |
| 914-545-602 | 9400163-TT    | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE         | GALVANIZED           |
| 914-545-601 | 9401465       | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE         | WHITE                |
| 914-545-622 | 9400210-TT    | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 STEEL SPOKE         | WHITE WITH PINSTRIPE |
| 914-545-612 | 9401406       | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL MOD           | BLACK                |
| 914-545-609 | 9401403       | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL MOD           | WHITE                |
| 914-545-608 | 9401402       | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 ALUMINUM SA001      | BLACK                |
| 914-545-607 | 9401401       | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL SPOKE         | GALVANIZED           |
| 914-545-611 | 9401405       | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL SPOKE         | WHITE                |
| 914-545-610 | 9401404       | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 STEEL SPOKE         | WHITE WITH PINSTRIPE |
| 14.5"       |               |                                                                  |                      |
| 845-000-601 | 9402000-MH    | MOBILE HOME 8-14.5, HI-RUN BIAS 14 PLY, LRG, STEEL UTG           | BLACK                |
| 15"         |               |                                                                  |                      |
| 915-545-612 | 9400676       | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 15X5 STEEL MOD      | BLACK                |
| 915-545-610 | 9402356       | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 15X6 STEEL MOD      | BLACK                |
| 915-545-607 | 9402353       | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 15X6 STEEL MOD      | WHITE                |
| 915-545-627 | 9400127-KW    | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 15X5 ALUMINUM SA001 | BLACK                |
| 915-545-649 | 9400216-TT    | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 15X5 STEEL SPOKE    | GALVANIZED           |
| 915-545-608 | 9402355       | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 15X6 STEEL SPOKE    | WHITE                |

15"

| Part#       | Legacy#     | Description                                                      | Colour               |
|-------------|-------------|------------------------------------------------------------------|----------------------|
| 915-545-642 | 9400119-TT* | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 4.5 15X5 STEEL SPOKE    | WHITE WITH PINSTRIPE |
| 915-545-636 | 9401506     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X5 STEEL MOD      | BLACK                |
| 915-545-601 | 9401556     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL MOD      | BLACK                |
| 915-545-600 | 9401553     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL MOD      | WHITE                |
| 915-545-633 | 9401485-TT  | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X5 ALUMINUM SA001 | BLACK                |
| 915-545-654 | 9401482-TT  | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X5 STEEL SPOKE    | GALVANIZED           |
| 915-545-603 | 9401555     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL SPOKE    | WHITE                |
| 915-545-641 | 9400297-TT  | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X5 STEEL SPOKE    | WHITE WITH PINSTRIPE |
| 915-550-606 | 9400919     | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 5 15X5 STEEL MOD        | BLACK                |
| 915-550-607 | 9400149     | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 5 15X5 STEEL MOD        | WHITE                |
| 915-550-610 | 9400178-TT  | 205/75, GOODRIDE RADIAL 6 PLY, LRC, 5 ON 5 15X5 STEEL SPOKE      | WHITE                |
| 915-655-604 | 9401563     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 STEEL MOD      | WHITE                |
| 915-655-616 | 9401562     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 ALUMINUM SA001 | BLACK                |
| 915-655-618 | 9401561     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 STEEL SPOKE    | GALVANIZED           |
| 915-655-602 | 9401565     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL SPOKE    | WHITE                |
| 915-655-619 | 9401564     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL SPOKE    | WHITE WITH PINSTRIPE |
| 915-655-620 | 9401566     | 205/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 STEEL MOD      | BLACK                |
| 915-545-639 | 9402456     | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL MOD      | BLACK                |
| 915-545-602 | 9402556     | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 5 ON 4.5 15X6 STEEL MOD     | BLACK                |
| 915-545-637 | 9402453     | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL MOD      | WHITE                |
| 915-545-615 | 9402553     | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 5 ON 4.5 15X6 STEEL MOD     | WHITE                |
| 915-545-640 | 9400641     | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X5 STEEL SPOKE    | GALVANIZED           |

15"

| Part#       | Legacy#       | Description                                                       | Colour               |
|-------------|---------------|-------------------------------------------------------------------|----------------------|
| 915-545-638 | 9402455       | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X6 STEEL SPOKE     | WHITE                |
| 915-545-604 | 9402555       | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 5 ON 4.5 15X6 STEEL SPOKE    | WHITE                |
| 915-545-658 | 9400410-TT-US | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 5 ON 4.5 15X5 STEEL SPOKE     | WHITE                |
| 915-655-626 | 9400563-TT    | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 5 ON 4.5 15X6 STEEL SPOKE    | WHITE WITH PINSTRIPE |
| 915-655-633 | 9400407-TT    | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 STEEL MOD       | BLACK                |
| 915-655-601 | 9400628-TT    | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 15X6 STEEL MOD      | BLACK                |
| 915-655-621 | 9402403       | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 STEEL MOD       | WHITE                |
| 915-655-600 | 9402503       | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 15X6 STEEL MOD      | WHITE                |
| 915-655-617 | 9400609       | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 15X6 ALUMINUM SA001 | BLACK                |
| 915-655-625 | 9400342-KW    | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 ALUMINUM SA001  | BLACK                |
| 915-655-630 | 9400219-TT    | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 STEEL SPOKE     | GALVANIZED           |
| 915-655-605 | 9400642-TT    | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 15X6 STEEL SPOKE    | GALVANIZED           |
| 915-655-603 | 9402505       | 225/75, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 15X6 STEEL SPOKE    | WHITE                |
| 915-655-636 | 9400700-TT    | 225/75, GOODRIDE RADIAL 8 PLY, LRD, 6 ON 5.5 15X6 STEEL SPOKE     | WHITE                |

16"

|             |            |                                                                      |                      |
|-------------|------------|----------------------------------------------------------------------|----------------------|
| 916-655-601 | 9401663    | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 STEEL MOD              | WHITE                |
| 916-655-610 | 9401662    | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 ALUMINUM SA001         | BLACK                |
| 916-655-611 | 9401665    | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 STEEL SPOKE            | WHITE                |
| 916-655-612 | 9400725-TT | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 6 ON 5.5 STEEL SPOKE            | WHITE WITH PINSTRIPE |
| 916-865-660 | 9400695    | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL DUAL 4.75" PILOT | GALVANIZED           |
| 916-865-606 | 9401601    | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL DUAL 4.75" PILOT | GREY                 |

16"

| Part#       | Legacy#    | Description                                                          | Colour     |
|-------------|------------|----------------------------------------------------------------------|------------|
| 916-865-616 | 9401116-TT | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL DUAL 4.88" PILOT | GREY       |
| 916-865-608 | 9400869-TT | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL MOD              | BLACK      |
| 916-865-618 | -          | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL MOD 0.5" INSET   | BLACK      |
| 916-865-605 | 9401603    | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL MOD              | WHITE      |
| 916-865-609 | -          | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL MOD 0.5" INSET   | WHITE      |
| 916-865-631 | 9401207-TT | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 ALUMINUM SA001         | BLACK      |
| 916-865-659 | 9400221-TT | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL SPOKE            | GALVANIZED |
| 916-865-611 | 9400808-TT | 235/80, GOODRIDE RADIAL 10 PLY, LRE, 8 ON 6.5 STEEL SPOKE            | WHITE      |
| 916-865-641 | 9401602    | 235/80, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL DUAL 4.75" PILOT | GREY       |
| 916-865-642 | 9401608    | 235/80, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL MOD              | BLACK      |
| 916-865-638 | 9401604    | 235/80, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL MOD              | WHITE      |
| 916-865-654 | 9402119    | 235/80, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 ALUMINUM SA001         | BLACK      |
| 916-865-662 | 9401119    | 235/80, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL SPOKE            | GALVANIZED |
| 916-865-639 | 9400780    | 235/80, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL SPOKE            | WHITE      |
| 916-655-600 | -          | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 6 ON 5.5 STEEL MOD              | WHITE      |
| 916-865-604 | 9400066    | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL DUAL 4.75" PILOT | GREY       |
| 916-865-600 | -          | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL DUAL 4.88" PILOT | GREY       |
| 916-865-619 | 9403608    | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL MOD              | BLACK      |
| 916-865-603 | 9403603    | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL MOD              | WHITE      |
| 916-865-602 | -          | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL MOD 0.5" INSET   | WHITE      |
| 916-865-633 | 9403602    | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 ALUMINUM SA001         | BLACK      |
| 916-865-663 | 9400235    | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL SPOKE            | GALVANIZED |
| 916-865-601 | 9400418    | 235/85, GOODRIDE RADIAL 14 PLY, LRG, 8 ON 6.5 STEEL SPOKE            | WHITE      |

17.5"

| Part#       | Legacy#   | Description                                                            | Colour     |
|-------------|-----------|------------------------------------------------------------------------|------------|
| 917-827-603 | 9401701   | 215/75, GOODRIDE RADIAL 16 PLY, LRH, 8 ON 275 STEEL DUAL STRAIGHT STEM | GALVANIZED |
| 917-827-604 | 9401702   | 215/75, GOODRIDE RADIAL 16 PLY, LRH, 8 ON 275 STEEL DUAL CURVED STEM   | GALVANIZED |
| 917-827-600 | 9400936   | 215/75, GOODRIDE RADIAL 16 PLY, LRH, 8 ON 275 STEEL DUAL               | WHITE      |
| 917-865-605 | 9400938-G | 215/75, GOODRIDE RADIAL 16 PLY, LRH, 8 ON 6.5 STEEL SOLID 0.19" INSET  | GALVANIZED |
| 917-865-604 | 9400938   | 215/75, GOODRIDE RADIAL 16 PLY, LRH, 8 ON 6.5 STEEL SOLID 0.19" INSET  | GREY       |
| 917-865-600 | 9401706   | 215/75, GOODRIDE RADIAL 16 PLY, LRH, 8 ON 6.5 STEEL SOLID 0.5" OUTSET  | WHITE      |
| 917-865-603 | 9401708   | 215/75, GOODRIDE RADIAL 16 PLY, LRH, 8 ON 6.5 ALUM. SA001 CENTER CAP   | BLACK      |
| 917-865-602 | 9401709   | 235/75, GOODRIDE RADIAL 18 PLY, LRJ 8 ON 275 ALUMINUM SA001            | BLACK      |
| 917-827-605 | 9401704   | 235/75, GOODRIDE RADIAL 18 PLY, LRJ, 8 ON 275 STEEL DUAL STRAIGHT STEM | GALVANIZED |
| 917-827-606 | 9401705   | 235/75, GOODRIDE RADIAL 18 PLY, LRJ, 8 ON 275 STEEL DUAL CURVED STEM   | GALVANIZED |
| 917-827-601 | 9400925   | 235/75, GOODRIDE RADIAL 18 PLY, LRJ, 8 ON 275 STEEL DUAL               | WHITE      |
| 917-865-606 | 9400600   | 235/75, GOODRIDE RADIAL 18 PLY, LRH, 8 ON 6.5 STEEL SOLID 0.19" INSET  | GREY       |
| 917-865-601 | 9401707   | 235/75, GOODRIDE RADIAL 18 PLY, LRH, 8 ON 6.5 STEEL SOLID 0.5" OUTSET  | WHITE      |

FOR MORE INFORMATION, CONTACT OUR SALES TEAM:

-  **Brantford**

 1 833-753-0013
-  **Langley**

 1 800-664-3933
-  **Quebec**

 1 800-567-8822
-  **Calgary**

 1 800-661-3843
-  **Longueuil**

 1 866-767-4867
-  **Regina**

 1 800-816-6866
-  **Edmonton**

 1 800-661-3843
-  **Milton**

 1 877-876-3344
-  **Swift Current**

 1 855-778-7302



**2025**



[dexterindex.ca](http://dexterindex.ca)